Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PUBLIC HEALTH REPORTS

ISSUED WEEKLY

BY THE

UNITED STATES PUBLIC HEALTH SERVICE

CONTAINING INFORMATION OF THE CURRENT PREVALENCE OF DISEASE, THE OCCURRENCE OF EPIDEMICS, SANITARY LEGISLATION, AND RELATED SUBJECTS

VOLUME 32

NUMBER 12

MARCH 23, 1917

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

UNITED STATES PUBLIC HEALTH SERVICE.

RUPERT BLUE, *Surgeon General.*

DIVISION OF SANITARY REPORTS AND STATISTICS.

Asst. Surg. Gen. JOHN W. TRASK, *Chief of Division.*

The PUBLIC HEALTH REPORTS are issued weekly by the United States Public Health Service through its Division of Sanitary Reports and Statistics, pursuant to acts of Congress approved February 15, 1893, and August 14, 1912.

They contain: (1) Current information of the prevalence and geographic distribution of preventable diseases in the United States in so far as data are obtainable, and of typhus fever, cholera, plague, yellow fever, smallpox, and other communicable diseases throughout the world. (2) Sanitary legislation, including court decisions on matters relating to public health administration and the laws and regulations being enacted or adopted by State and municipal authorities for the safeguarding of the public health. (3) Articles relating to the cause, prevention, or control of disease. (4) Other pertinent information regarding sanitation and the conservation of the public health.

The PUBLIC HEALTH REPORTS are intended primarily for distribution to health officers, members of boards or departments of health, and those directly or indirectly engaged in or connected with public health or sanitary work. Articles of general or special interest are issued as reprints from the PUBLIC HEALTH REPORTS or as supplements, and in these forms are available for general distribution to those desiring them.

Requests for and communications regarding the PUBLIC HEALTH REPORTS, reprints, or supplements should be addressed to the Surgeon General, United States Public Health Service, Washington, D. C.

ADDITIONAL COPIES

OF THIS PUBLICATION MAY BE PROCURED FROM
THE SUPERINTENDENT OF DOCUMENTS
GOVERNMENT PRINTING OFFICE
WASHINGTON, D. C.
AT
5 CENTS PER COPY
SUBSCRIPTION PRICE, $2.00 PER YEAR

CONTENTS.

Page.

Quarantine requirements—For ports of the United States south of Maryland.. 425
Combating typhus fever on the Mexican border..... 426

PREVALENCE OF DISEASE.

United States:
Cerebrospinal meningitis—
Connecticut..... 431
Minnesota..... 431
State reports for February, 1917..... 431
City reports for week ended March 3, 1917..... 432
Erysipelas—
City reports for week ended March 3, 1917..... 432
Leprosy—
Louisiana—New Orleans Parish..... 432
New Jersey—Jersey City..... 432
City report for week ended March 3, 1917..... 432
Malaria—
State reports for February, 1917..... 433
City reports for week ended March 3, 1917..... 433
Measles—
California—Los Angeles..... 433
Washington—Seattle..... 433
Pellagra—
District of Columbia report for February, 1917..... 433
City reports for week ended March 3, 1917..... 433
Plague—
Hawaii—Paauilo..... 433
Pneumonia—
City reports for week ended March 3, 1917..... 434
Poliomyelitis (infantile paralysis)—
State reports for February, 1917..... 434
City reports for week ended March 3 1917..... 434
Scarlet fever..... 435
Smallpox—
Connecticut..... 435
Minnesota..... 435
Ohio—Springfield..... 435
Oklahoma—Okmulgee County jail..... 435
Texas—Galveston..... 435
State reports for February 1917..... 436
Wisconsin report for February, 1917..... 436
City reports for week ended March 3, 1917..... 436
Tetanus—
City reports for week ended March 3, 1917..... 437

United States—Continued.
Typhoid fever— Page.
State reports for February, 1917 437
City reports for week ended March 3, 1917 438
Typhus fever—
Texas 438
Preventable diseases—
Massachusetts report for week ended March 3, 1917 439
Diphtheria, measles, scarlet fever, and tuberculosis—
State reports for February, 1917 439
City reports for week ended March 3, 1917 439
Foreign:
Australia—
Quarantine stations established—Queensland 443
China—
Plague-infected rat—Hongkong 443
Cuba—
Communicable diseases—Habana 443
Cholera, plague, smallpox, typhus fever, and yellow fever—
Reports received during the week ended March 23, 1917—
Cholera 443
Plague 444
Smallpox 444
Typhus fever 444
Reports received from December 30, 1916, to March 16, 1917—
Cholera 445
Plague 446
Smallpox 447
Typhus fever 449
Yellow fever 451